it, when there is an opportunity. And by this, that we cannot from a maſs of glaſs draw a quantity of electrical fire, or electrify the whole maſs *minus*, as we can a maſs of metal. We cannot leſſen or increaſe its whole quantity, for the quantity it has it holds; and it has as much as it can hold. Its pores are filled with it as full as the mutual repellency of the particles will admit; and what is already in, refuſes, or ſtrongly repels, any additional quantity. Nor have we any way of moving the electrical fluid in glaſs, but one; that is, by covering part of the two ſurfaces of thin glaſs with non-electrics, and then throwing an additional quantity of this fluid on one ſurface, which ſpreading in the non-electric, and being bound by it to that ſurface, acts by its repelling force on the particles of the electrical fluid contained in the other ſurface, and drives them out of the glaſs into the non-electric on that ſide, from whence they are diſcharged, and then thoſe added on the charged ſide can enter. But when this is done, there is no more in the glaſs, nor leſs than before, juſt as much having left it on one ſide as it received on the other.

33. I feel a want of terms here, and doubt much whether I ſhall be able to make this part intelligible. By the word *ſurface*, in this caſe, I do not mean mere length and breadth without thickneſs; but when I ſpeak of the upper or under ſurface of a piece of glaſs, the outer or inner ſurface of the vial, I mean length, breadth, and half the thickneſs, and beg the favour of being ſo underſtood. Now, I ſuppoſe, that glaſs in its firſt principles, and in the furnace,



T. Jefferys Sculp.

BENJAMIN FRANKLIN *Experiments and Observations on Electricity* LONDON, 1751 THE WARNOCK LIBRARY Octavo